

# Automatic Basket Lift Gas Fired Noodle Boiler



NWPC20-A

NWPC40-A

NWPC40

**NOODLE MASTER**

## Description:

This Noodle & Pasta Cooker has been designed to meet the changing needs of commercial kitchens. This multi-purpose cooker has been designed with flexibility - it can be used not only for noodles, but also for pasta cooking, soup warming.

A simple clip-on design has transformed the most traditional noodle cooker into a brand-new product. Adhering to the concept of easy to use, the Autolifting Gas Noodle Cooker designed with 6 individual digital timers and continue to provide outstanding power from the gas burner; the half-size autolifting noodle cooker is also an ideal space saver for kitchen which has space restriction but still requires a powerful tool. Other features including overflow system that automatically removes excess starch and helps purify water which proves the product is deal for all day operation.

## Features:



Heavy duty stainless steel construction. Deep drawn type 304 stainless steel tank. Hygiene, food safety and resistance to corrosion and oxidation.



Overflow system at rear to maintain adequate water level and remove starch from noodle due to long time cooking




Clip on design for autolifter, easy installation and maintenance.

### Automatic Lift Up Noodle Cooker With 3 or 6 Basket

1. Gas operated noodle cooker with Standby pilot, piezo ignition and flame failure safety device, provide outstanding boiling power, perfect for heavy usage.
2. Quick water temperature recovery time for continuous operation
3. Clip-on design for the autolifter, easy installation and maintenance
4. Digital timer and individual lifter, user-friendly, hands-free, maintain food quality.
5. Hold up to 6 noodle baskets simultaneously, covering the maximum capacity that one operator can serve, the autolifter saves manpower for a consistent and standardized result
6. 304 Stainless steel tank. Hygiene, food safety and resistance to corrosion and oxidation
7. Water capacity: 25 Liter for NWPC40-A. 13 Liter for NWPC20-A.
8. Overflow system at rear to maintain adequate water levels and remove starch from noodle due to long time cooking.
9. Casters at the back and adjustable bullet feet in front for easy relocation

# Technical Data



Model No.	Description	Dimension		
NWPC40-A	Gas Noodle Cooker with Autolifting	550*800*910mm		
NWPC20-A	Half-size Gas Noodle Cooker with Autolifting	300*800*910mm		
Gas source	Gas rated pressure	Burner rating		
LPG / NG	2.8KP / 2.0KPa	9kw / Burner (31000BTU / Burner)		
Voltage	Rated power	Water inlet	Drainage pipe	Gas inlet
220V / 50Hz / 1ph	0.25kw / Side	1/2" (DN15)	2" (DN50)	3/4" (DN20)

## Multiple Configuration

### Auto Lift Gas Fired Noodle Boiler - Configuration

